

## M3-R4: PROGRAMMING AND PROBLEM SOLVING THROUGH 'C' LANGUAGE

### NOTE:

1. There are **TWO PARTS** in this Module/Paper. **PART ONE** contains **FOUR** questions and **PART TWO** contains **FIVE** questions.
2. **PART ONE** is to be answered in the **TEAR-OFF ANSWER SHEET** only, attached to the question paper, as per the instructions contained therein. **PART ONE** is **NOT** to be answered in the answer book.
3. Maximum time allotted for **PART ONE** is **ONE HOUR**. Answer book for **PART TWO** will be supplied at the table when the answer sheet for **PART ONE** is returned. However, candidates, who complete **PART ONE** earlier than one hour, can collect the answer book for **PART TWO** immediately after handing over the answer sheet for **PART ONE**.

**TOTAL TIME: 3 HOURS**

**TOTAL MARKS: 100**  
**(PART ONE – 40; PART TWO – 60)**

### **PART ONE** **(Answer all the questions)**

1. Each question below gives a multiple choice of answers. Choose the most appropriate one and enter in the “tear-off” answer sheet attached to the question paper, following instructions therein. (1x10)
  - 1.1 Which of the following is not an unconditional control statement in 'C'?
    - A) break
    - B) continue
    - C) exit()
    - D) while
  - 1.2 What will be the output of the following program?  

```
Main()
{
    int x = 5;
    While ( x == 1)
        x = x -1;
    printf ( " %d\n", x);
}
```

    - A) 5
    - B) 4
    - C) 0
    - D) syntax error
  - 1.3 Which of the following is not a proper storage class in 'C'?
    - A) auto
    - B) dec
    - C) static
    - D) extern
  - 1.4 Which of the following is a wrong pointer declaration?
    - A) int \*int(a);
    - B) int \*x, \*y;
    - C) float \*aptr;
    - D) int \*x, float \*y;

- 1.5 The value of S[5] in the segment char s[15] = " MICROPROCESSOR" is  
A) P  
B) O  
C) R  
D) None of the above
- 1.6 Function putchar() displays  
A) one word at a time on the screen  
B) one character at a time  
C) result on the screen  
D) None of the above
- 1.7 The sqrt() function is available in  
A) conio.h  
B) string.h  
C) math.h  
D) graphic.h
- 1.8 If 'a' is an integer variable, then a = 5/2 will return a value  
A) 2.5  
B) 2  
C) 2.000000  
D) 2.500000
- 1.9 Which of the following a not a basic data type used in C language?  
A) double  
B) float  
C) char  
D) array
- 1.10 pow(x,y) is used to  
A) power of  $y^x$   
B) power of  $x^y$   
C) logarithm of x on the base y  
D) Such function does not exist

2. Each statement below is either TRUE or FALSE. Choose the most appropriate one and ENTER in the “tear-off” sheet attached to the question paper, following instructions therein. (1x10)

- 2.1 A break statement is used to exit from a statement block in a switch statement.
- 2.2 Recursion cannot call a function itself.
- 2.3 An array is a group of related data item that share a common memory location in RAM.
- 2.4 In the declaration `int(*p)()` p is a pointer to a function that returns an integer.
- 2.5 If  $m = 5$ ,  $++m + ++m$  is equal to 12.
- 2.6 The memory required in structure is less than union.
- 2.7 A function in ‘C’ must have at least one argument.
- 2.8 The programming language happens to be the high level language with some assembly language features.
- 2.9 In C functions the actual expressions / parameters are passed on to formal parameters using the method of call by value result
- 2.10 In C the graphics may be used to add graphical features to the program.

3. Match words and phrases in column X with the closest related meaning/ word(s)/phrase(s) in column Y. Enter your selection in the “tear-off” answer sheet attached to the question paper, following instructions therein. (1x10)

X		Y	
3.1	<code>exit(0)</code> in a ‘C’ program represents	A.	Increase or decrease of pointer value
3.2	The difference in ‘a’ and “a” is	B.	derived data type
3.3	pointer arithmetic refers to	C.	Termination of a program
3.4	<code>int *mptr, m=25; mptr=&amp;m</code> performs	D.	Converts a data type to another data type
3.5	Function that detects error in file accessing	E.	User define data type
3.6	Array is a	F.	Initializes the pointer
3.7	The statement block in while is executed	G.	<code>f=(X &lt; 0)? 0 : 1</code>
3.8	Typecasting	H.	<code>ferror()</code>
3.9	Formatted print is used to	I.	Perform operations in string
3.10	<code>string.h</code> is used to	J.	Take printout in special format
		K.	‘a’ is a single character constant and “a” is a string character constant
		L.	When the values of the condition is true
		M.	Bitwise operator

4. Each statement below has a blank space to fit one of the word(s) or phrase(s) in the list below. Enter your choice in the “tear-off” answer sheet attached to the question paper, following instructions therein. (1x10)

<b>A.</b>	static	<b>B.</b>	calloc()	<b>C.</b>	main()
<b>D.</b>	char	<b>E.</b>	free()	<b>F.</b>	Right to left
<b>G.</b>	Close and disconnect the file from	<b>H.</b>	Left to right	<b>I.</b>	register
<b>J.</b>	atoi()	<b>K.</b>	putpanel()	<b>L.</b>	stdin
<b>M.</b>	stdout				

- 4.1 \_\_\_\_\_ is the function to convert a ASCII character into an integer.
- 4.2 In C an array of character is known as \_\_\_\_\_.
- 4.3 The line from which a program execution begins is \_\_\_\_\_.
- 4.4 \_\_\_\_\_ function is used to release the memory allotted in dynamic memory allocation.
- 4.5 The dynamic memory allocation function are \_\_\_\_\_ and malloc().
- 4.6 p++ has associativity \_\_\_\_\_.
- 4.7 The use of \_\_\_\_\_ is considered unstructured programming.
- 4.8 The storage class \_\_\_\_\_ has global visibility.
- 4.9 The standard file, in 'C', \_\_\_\_\_ is connected to screen.
- 4.10 \_\_\_\_\_ is used to draw a point on the monitor screen in given coordinate position.

**PART TWO**  
(Answer any **FOUR** questions)

- 5.**
- a) Make the flow chart to solve the following cosine series.  
 $S = 1 - x^2/2! + x^4/4! - x^6/6! + \dots$  100 terms
- b) What is meant by formatted output? Mention the output of the following commands.  
int n = 28;  
i) printf ( "% 5d,"n);  
ii) printf ( "%+5d", n);  
iii) printf ( "%+5d", n);
- c) Write a recursive function to compute factorial of a number. **(5+5+5)**
- 6.**
- a) Write a 'C' program to read an array of names and to sort them in alphabetical order.
- b) What are different storage classes in 'C'? Explain each. **(7+8)**
- 7.**
- a) Write a program to compute the following series:  
 $x + x^3/3! + x^5/5! + \dots$   
To a given accuracy for x from  $0^0$  to  $180^0$  in the steps of  $10^0$ , use a inbuilt function FACT(n) to compute the factorial.
- b) What is meant by structure data type? How do we reference the elements of a structure? Give example of how a value of a structure can be assigned to another structure. **(8+7)**
- 8.**
- a) What do you mean by a pointer variable? Write a function in 'C', using pointers for the array of elements, for sorting the elements.
- b) Define a structure of employees of an organization with the following fields:  
Empno, Empname, Date\_of\_joining, Salary, Department  
Write a program which accepts names of ten employees and print them on the screen. **(8+7)**
- 9.**
- a) What are preprocessor directions? Why do we need them? Explain various preprocessor directives.
- b) Give an example of  
i) Switch statement  
ii) Conditional expression  
iii) Nesting of loops  
iv) Dynamic memory allocation **(7+8)**